

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/542,116	07/12/2005	Joachim Charzinski	2002P20134WOUS 9813	
28524 7590 09/21/2007 SIEMENS CORPORATION INTELLECTUAL PROPERTY DEPARTMENT			EXAMINER	
			NGUYEN, THU HA T	
	170 WOOD AVENUE SOUTH ISELIN, NJ 08830		ART UNIT	PAPER NUMBER
, , , , , , , , , , , , , , , , , , , ,			2155	
		•		
			MAIL DATE	DELIVERY MODE
			09/21/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

· · · · · · · · · · · · · · · · · · ·		1				
	Application No.	Applicant(s)				
	10/542,116	CHARZINSKI ET AL.				
Office Action Summary	Examiner	Art Unit				
•	Thu Ha T. Nguyen	2155				
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address				
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	I. hely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on 12 Ju	<u>ıly 2005</u> .	·				
2a) This action is FINAL . 2b) ⊠ This	This action is FINAL . 2b)⊠ This action is non-final.					
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 45	53 O.G. 213.				
Disposition of Claims						
4)⊠ Claim(s) <u>19-38</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>19-38</u> is/are rejected.	6)⊠ Claim(s) <u>19-38</u> is/are rejected.					
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or	r election requirement.					
Application Papers						
9) The specification is objected to by the Examine	r.					
10) The drawing(s) filed on is/are: a) acce	epted or b) \square objected to by the ${ t E}$	Examiner.				
Applicant may not request that any objection to the	drawing(s) be held in abeyance. See	e 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correct		• •				
11)☐ The oath or declaration is objected to by the Ex	aminer. Note the attached Office	Action or form PTO-152.				
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:	priority under 35 U.S.C. § 119(a)	-(d) or (f).				
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
Copies of the certified copies of the prior	rity documents have been receive	ed in this National Stage				
application from the International Bureau	ı (PCT Rule 17.2(a)).					
* See the attached detailed Office action for a list	of the certified copies not receive	d.				
Attachment(s)						
Attachment(s) 1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948)	Paper No(s)/Mail Da	nte				
3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date 7/12/05.	5) Notice of Informal P 6) Other:	atent Application				

Application/Control Number: 10/542,116 Page 2

Art Unit: 2155

DETAILED ACTION

1. Claims **19-38** are presented for examination.

Claim Rejections - 35 USC § 102

2. The following is a quotation of the appropriate paragraphs of 35 U.S.C.

§ 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless --

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

OR

e) the invention was described in a patent granted on an application for patent by another filed in the United States before the invention thereof by the applicant for patent, or on an international application by another who has fulfilled the requirements of paragraphs (1), (2), and (4) of section 371(c) of this title before the invention thereof by the applicant for patent.

The changes made to 35 U.S.C. 102(e) by the American Inventors Protection Act of 1999 (AIPA) and the Intellectual Property and High Technology Technical Amendments Act of 2002 do not apply when the reference is a U.S. patent resulting directly or indirectly from an international application filed before November 29, 2000. Therefore, the prior art date of the reference is determined under 35 U.S.C. 102(e) prior to the amendment by the AIPA (pre-AIPA 35 U.S.C. 102(e)).

Art Unit: 2155

3. Claims 19-38 are rejected under 35 U.S.C. § 102(e) as being anticipated

Page 3

by Billhartz et al. U.S. Pub. No. 2003/0202476.

4. As to claim 19, Billhartz teaches the invention as claimed, including a

method for routing data packets having a destination address in a packet-switching data

network, wherein a first and a second transmission path is assigned to the destination

address, the first and second transmission paths included in a routing table of a network

node of the data network, wherein the first and second transmission paths have traffic

distribution weightings indicating a traffic load allocated to each transmission path, the

method comprising:

· assigning a maximum traffic distribution weighting to the first transmission path

(paragraphs [0041-0043], [0048-0054], [0068-0071]); and

assigning a minimum traffic distribution weighting to the second transmission

path, wherein data packets are routed via the first transmission path during undisturbed

operation and the data packets are routed via the second transmission path if the first

transmission path is interrupted (paragraphs [0014], [0032-0044], [0050-0054], [0080-

0081]).

5. As to claim 20, **Billhartz** teaches the invention as claimed in claim 19,

wherein, in the event of failure of the first transmission path, the second transmission

path is given the maximum traffic distribution weighting ([0032-0044], [0050-0054],

[0080-0081]).

Art Unit: 2155

6. As to claim 21, **Billhartz** teaches the invention as claimed in claim 19, wherein, in the event of failure of the first transmission path, a third transmission path is calculated, which is given the minimum traffic distribution weighting ([0032-0044], [0050-0054]).

Page 4

- 7. As to claim 22, **Billhartz** teaches the invention as claimed in claim 19, wherein a network node is controlled such that the transmission path on which a network node receives a data packet is blocked for the return transmission of the same data packet ([0036-0038]).
- 8. As to claim 23, **Billhartz** teaches the invention as claimed, including a method for routing data packets having a destination address in a packet-switching data network, wherein a first, a second, and a third transmission path is assigned to the destination address, the first, second, and third transmission paths included in a routing table of a network node of the data network, wherein the first, second, and third transmission paths have traffic distribution weightings indicating a traffic load allocated to each transmission path, the method comprising:

assigning a maximum traffic distribution weighting to the first transmission path (paragraphs [0041-0043], [0048-0054], [0068-0071]); and

assigning a minimum traffic distribution weighting to the second and to the third transmission path, wherein data packets are routed via the first transmission path during

Application/Control Number: 10/542,116 Page 5

Art Unit: 2155

undisturbed operation and the data packets are routed via the second or third transmission path if the first transmission path is interrupted (paragraphs [0014], [0032-0044], [0050-0054], [0080-0081]).

- 9. As to claim 24, **Billhartz** teaches the invention as claimed in claim 23, wherein, in the event of failure of the first transmission path, at least one other transmission path is given a traffic distribution weighting that deviates from the minimum traffic distribution weighting ([0032-0044], [0050-0054], [0080-0081]).
- 10. As to claim 25, **Billhartz** teaches the invention as claimed in claim 23, wherein, in the event of failure of the first transmission path, at least one additional transmission path is calculated that is given the minimum traffic distribution weighting (0032-0044], [0050-0054], [0080-0081]).
- 11. As to claim 26, **Billhartz** teaches the invention as claimed in claim 23, wherein a network node is controlled such that the transmission path on which a network node receives a data packet is blocked for the return transmission of the same data packet ([0036-0038]).
- 12. As to claim 27, **Billhartz** teaches the invention as claimed, including a method for routing data packets having a destination address in a packet-switching data network, wherein a first, a second, and a third transmission path is assigned to the

Art Unit: 2155

destination address, the first, second, and third transmission paths included in a routing table of a network node of the data network, wherein the first, second, and third transmission paths have traffic distribution weightings indicating a traffic load allocated to each transmission path, the method comprising assigning a minimum traffic distribution weighting to the third transmission path, wherein the third transmission path is used for the transmission of data packets only in the event of failure of at least a part of both the first and second transmission paths (paragraphs [0032-0044], [0048-0054], [0065-0071], [0080-0081]).

Page 6

- 13. As to claim 28, Billhartz teaches the invention as claimed in claim 27. wherein, in the event of failure of at least a part of the transmission paths with values that deviate from the minimum traffic distribution weighting, the at least one transmission path with a minimum traffic distribution weighting is given a traffic distribution weighting that deviates from said minimum weighting ([0060-0071]).
- 14. As to claim 29, Billhartz teaches the invention as claimed in to claim 27. wherein, in the event of failure of at least a part of the transmission paths with values that deviate from the minimum traffic distribution weighting, at least one further transmission path is calculated that is given the minimum traffic distribution weighting (0060-0071], [0080-0081]).

Application/Control Number: 10/542,116 Page 7

Art Unit: 2155

15. As to claim 30, **Billhartz** teaches the invention as claimed in claim 27, wherein a network node is controlled such that the transmission path on which a network node receives a data packet is blocked for the return transmission of the same data packet ([0036-0038]).

- 16. As to claim 31, **Billhartz** teaches the invention as claimed in to claim 27, wherein a multipath routing method is applied in the packet-switching data network ([0015], [0036], [0077]).
- 17. As to claim 32, **Billhartz** teaches the invention as claimed in claim 27, wherein a network operated in conformance with the Internet Protocol is used as the packet-switching data network ([0015], [0036-0037], [0077]).
- 18. As to claim 33, **Billhartz** teaches the invention as claimed in claim 27, wherein at least the failure of the first transmission path of a network node is communicated to at least one further network node ([0048-0062]).
- 19. As to claim 34, **Billhartz** teaches the invention as claimed in claim 33, wherein the transmission is effected by means of a protocol ([0015], [0036-0037], [0077]).

Art Unit: 2155

20. As to claim 35, **Billhartz** teaches the invention as claimed in claim 33, wherein a recalculation of at least one transmission path of at least one destination address is carried out in at least one further network node ([0048-0062]).

Page 8

- 21. As to claim 36, **Billhartz** teaches the invention as claimed in claim 27, wherein at least one further traffic distribution weighting is assigned to the transmission paths with a minimum traffic distribution weighting entered in the routing table, said further traffic distribution weighting being used if a transmission path is interrupted ([0032-0044], [0050-0054], [0080-0081]).
- 22. As to claim 37, **Billhartz** teaches the invention as claimed in claim 36, wherein a transmission path is assigned respectively to the further traffic distribution weightings entered in the routing table and this traffic distribution weighting is used in the event of failure of the assigned transmission path ([0032-0044], [0050-0054], [0080-0081]).
- 23. As to claim 38, **Billhartz** teaches the invention as claimed, including a network node for a packet-switching data network, comprising: a routing table for entering destination addresses to which transmission paths and traffic distribution weightings are assigned, wherein at least two paths are provided per destination address, and wherein the routing table is structured in a manner such that the minimum traffic distribution weighting is assigned to at least one transmission path for a

Page 9

Art Unit: 2155

destination address and at least one other transmission path has a traffic distribution weighting that deviates from the minimum traffic distribution weighting and in that the router can be controlled such that in the event of interruption of at least one part of the paths with a traffic distribution weighting that deviates from the minimum traffic distribution weighting, the transmission of at least one part of the packets is effected via the path with the minimum traffic distribution weighting (paragraphs [0032-0044], [0048-0054], [0065-0071], [0080-0081]).

Conclusion

- 24. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.
- 25. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thu Ha Nguyen, whose telephone number is (571) 272-3989. The examiner can normally be reached Monday through Friday from 8:30 AM to 5:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Najjar Saleh, can be reached at (571) 272-4006.

The fax phone numbers for the organization where this application or proceeding is assigned are (571) 273-8300 for regular communications.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for

Art Unit: 2155

published applications may be obtained from either Private PAIR or Public PAIR.

Status information for unpublished applications is available through Private PAIR only.

For more information about the PAIR system, see http://pair-direct.uspto.gov. Should

you have questions on access to the Private PAIR system, contact the Electronic

Business Center (EBC) at 866-217-9197 (toll-free).

THU HA NGUYEN FRIMARY EXAMINER

Page 10

September 17, 2007